



Power of Desire



SOMANY

Somany Ceramics Limited: Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S. G, Highway, Ahmedabad- 382481, Ph.: 079-27661103 & 04 Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913 www.somanyceramics.com I e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)









GET IT ON Google play





ZAMEEN SE JUDEY





DURAGRES Timeless Elegance

600x1200mm

Miracles are good. They aspire hope in people. Hope for better. Hope for uniqueness. That's where at Duragres we inspire our people to work on the design aspirations of 600x1200mm glazed Vitrified Tiles which blend with strength. Our combined advantages stem from the core of each tile bringing out the subtlety of our process values enshrined in each product.

AVAILABLE FINISH

FULL POLISH

CARVING





ASPIRED LIVING

Life is an adventure and we can't have enough of it! Amazing things can be done when technology is fine tuned to the latest it has to offer. So with core strength and impeccable craftsmanship come these stunning 600x1200mm glazed Vitrified tiles with staggering impressions like finest gloss, great finish and Matt effects among other features for your ready reckoning needs.

















APPLICAT ION



RESIDENCES











HOTELS



SHOPS

RESTAURANTS



STATIONS











HIGH GLOSS

18

74

MATT

VC




















HIGH GLOSS

Introducing our stunning collection of 600x1200 mm high gloss tiles, designed to elevate your space with elegance and sophistication. With two distinctive lines to choose from, our catalogue offers a wide array of options to suit your unique style and transform any room into a masterpiece of modern design.


Discover Beauty in Every Tile

Elevate your space with 600x1200mm high gloss tiles, adding sophistication and style to any room.





GRANDE LUCIDO ALLEGRA BLUE


















600x High 1200mm Gloss

















GRANDE LUCIDO ALLEGRA TEAL






GRANDE LUCIDO ARMANI BROWN






GRANDE LUCIDO CIMBOM TEAL



GRANDE LUCIDO EMPERADOR BROWN




GRANDE LUCIDO FOSSIL BALCK



GRANDE LUCIDO LEVANTO TEAL

11



600x High 1200mm Gloss
















GRANDE LUCIDO MARIANA BLUE






GRANDE LUCIDO MARINE BLACK






GRANDE LUCIDO MARQUINA BLUE





GRANDE LUCIDO MARSHAL BLACK





GRANDE LUCIDO MYSTIQUE NERO





GRANDE LUCIDO OCEAN BLUE

600x High 1200mm Gloss





GRANDE LUCIDO PULPIS BRONZE





GRANDE LUCIDO SILKY BEIGE













VERSATILE SOLUTIONS

RESISTANT TO RESISTANT CHEMICAL TO LOADS

600x1200mm

FULL POLISH

Introducing our exquisite 600x1200 mm full polish tiles, featuring a flawless surface and


two elegant lines, perfect for enhancing the aesthetic appeal of any space. Browse our

catalogue to explore various options and elevate your interior design projects.

24x48 inch



High-quality 600x1200mm full polish tiles for a stunning and sleek finish.





GRANDE EL GRAO MULTI FP


















600x Full 1200mm Polish Endless
















GRANDE EL CATALAN FP







GRANDE EL DIVINITY ASH FP



600x Full 1200mm Polish Endless















GRANDE EL LASA BEIGE FP





GRANDE EL LASA WHITE FP



600x Full 1200mm Polish Endless













GRANDE EL TANAMI GOLD FP








GRANDE EL ZAFFIRO GREY FP



















GRANDE AFYON GREY FP





GRANDE ANTONIA BEIGE FP





GRANDE ARISH WHITE FP





GRANDE CAMUS LIGHT GREY FP





GRANDE CAMUS DARK GREY FP





GRANDE CAMUS CREMA FP















GRANDE ARMANI GREY FP





GRANDE CALLIS BEIGE FP





GRANDE CALLIS BROWN FP








GRANDE CALLIS LIGHT GREY FP



GRANDE CALLIS DARK GREY FP























GRANDE ATLAS BEIGE FP





GRANDE CANCUN CREMA FP









GRANDE ETERNA GREY FP



















GRANDE FLOS OYSTER FP




GRANDE FLOS ROSATO FP



GRANDE FLOS LIGHT GREY FP



GRANDE FLOS DARK GREY FP



GRANDE GLACIER WHITE FP













GRANDE GIUSTO BEIGE FP





GRANDE GIUSTO OLIVE FP













GRANDE OTTANA BEIGE DECORE FP



















GRANDE NATIVA CREMA FP





GRANDE NATIVA PINK FP





GRANDE PARNORA MARFIL FP







GRANDE IRISH CREMA FP



GRANDE IRISH BROWN FP













GRANDE PARISION IVORY FP



GRANDE NAVONNA BEIGE FP



GRANDE PERLATO BEIGE FP



GRANDE STATURIO FP





GRANDE STATUARIO SELECT FP





GRANDE STATUARIO VENATO FP













GRANDE VANCOUVER CREMA FP





GRANDE VANCOUVER BEIGE FP





GRANDE RADDIX WHITE FP





GRANDE VEGAS GOLD FP

















Beauty Flourishes in Our Tiles

Exquisite craftsmanship, timeless elegance – Carve your space beautifully.





GRANDE EL IMP GRAO MULTI






























GRANDE IMPATLAS BIANCO





GRANDE IMP ATLAS CREMA





GRANDE IMP CANCUN CREMA





GRANDE IMP CAMUS LIGHT GREY





GRANDE IMP CAMUS DARK GREY





GRANDE IMP CAMUS CREMA















GRANDE IMP AVALLON GREY





GRANDE IMP AVALLON GREY DÉCOR





GRANDE IMP AVALLON NERO





GRANDE IMP AVALLON CREMA






GRANDE IMP AVALLON CREMA DÉCOR





GRANDE IMP AVALLON BROWN

















GRANDE IMP AVALLON MOCHA





GRANDE IMP ASTOR MUSHROOM





GRANDE IMP CORAS STATUARIO



GRANDE IMP DRAGO BIANCO



GRANDE IMP DRAGO GREY LIGHT



GRANDE IMP DRAGO GREY DARK




















GRANDE IMP EARLENA CREMA



GRANDE IMP EARLENA COFFEE




GRANDE IMP HONEYWOOD



GRANDE IMP IRISH CREMA



GRANDE IMP IRISH BROWN

















GRANDE IMP CRISTON TEAL





GRANDE IMP LYCRA BROWN






GRANDE IMP VEGAS GOLD





GRANDE IMP MARCELA LIGHT GREY






GRANDE IMP MARCELA GREY DECOR





GRANDE IMP MARCELA DARK GREY



600x 1200mm Carving










71






GRANDE IMP VARDAR ASH LIGHT





GRANDE IMP VARDAR ASH DÉCOR





GRANDE IMP VARDAR ASH DARK



GRANDE IMP VARDAR CREMA



GRANDE IMP VARDAR CREMA DÉCOR




GRANDE IMP VARDAR SAFFRON






GRANDE IMP OROMIA GOLD



















VERSATILE SOLUTIONS EASIER TO **LAY**

RESISTANT TO RESISTANT CHEMICAL TO LOADS



Unveil Your Space's True Beauty

High-quality 600x1200mm matt tiles for your elegant space. Transform your interiors with style and sophistication.





GRANDE SUAVE WOOD BEIGE




























GRANDE SUAVE WOOD BROWN





GRANDE LISTON BEIGE






GRANDE LISTON BROWN






GRANDE LISTON LIGHT GREY






GRANDE LISTON GREY


600x 1200mm Matt









GRANDE IMP BERNICIA GREY DÉCOR



GRANDE BERNICIA GREY





DURAGRES















more resistant to wear and tear,

stains, and abrasions.





Beauty Tiled Dreams Styled

Hard coat technology is applied to produce durable and scratch-resistant 600x1200mm tiles.





GRANDE BAYAS CREMA




































GRANDE BAYAS MOCA






GRANDE BAYAS LIGHT GREY



GRANDE BAYAS DARK GREY





GRANDE ESCARA GREY LIGHT VC





GRANDE RIVER CREMA





GRANDE STATURIO VC




600x 1200mm


DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variationthatis expected from the seproducts. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance








The classification is as follow:

✓ Minimal Variation ✓ Random Variation ✓ Slight Variation ✓ Substantial Variation



While laying the tiles please follow the arrow on the back of the tiles. For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder



VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology










VC Shield Tile



Polished Vitrified Tile

Patent Certificate for "High Abrasion Resistant Glaze" applied on VC Shield Tiles














PACKING DETAIL FOR 600x1200mm GVT TILES

Nominal Size(mm)	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200mm	nm 9 28.0 (+/-0.2) Kgs		2	1.44sq.mtr. / 15.50sq.ft.

TECHNICAL SPECIFICATION FOR 600x1200mm GVT TILES

Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group Bia	Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method	
A) Dimension & Surface Quality					
I) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2	
ii) Thickness	± 5.0%	± 5.0%	± 4.0%		
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%		
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%		
v) Surface Flatness					
a) Center curvature (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %		
b) Edge curvature (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %		
c) Corner warpage (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %		
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		
B) Physical Properties					
I) Water Absorption %	Av. E ≤ 0.08%, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	For IS-15622 avg-E<0.08%, For ISO-avg-E<0.50%	IS 13630 Part 2/ ISO 10545-3	
ii) Modulus of Rupture [N/mm²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4	
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300		
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10	
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min-5(for VC & RT), Min. 3(for polished)	IS 13630 Part 13	
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V(for VC & RT) Class-III(for polished)	IS 13630 Part 11 /ISO 10545-7	
vii) Coefficient of Linear Thermal Expansion from Ambient Temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8	
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9	
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11	
x) Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Required	Min 0.55	ISO 10545-5	
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12	
C) Chemical Resistance (glazed Tiles)					
I) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14	
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13	
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA		

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.







TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED

TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- FAST SETTING
- SELF-CURING

USES **(**

- FOR FIXING ALL TYPE OF TILES
- FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE